

F20Z05NDDC

Home | Security | Lenses | Varifocal

F20Z05NDDC

F1.6/20-100mm DC Lens, 1/3"CS,

Variable Focal Length

Art-Nr. 43247



Main Features

Suitable for 1/3" and 1/4" Colour Cameras

5x variable focal length

Aspherical lens elements

Compact design

Locking mechanism for focus and zoom

CS mount

High standard of optical and mechanical quality

Adjustable slip-ring mount for cable positioning

4 pin connector for DC iris control

Specifications

Lens type	varifocal
Day/Night	no
Megapixel	no
Aspherical technology	yes
Nominal format size	1/3"
Flange focal length	12.5mm
Mount	CS
Slip-ring mount	340° ~360° Variable adjustment range
Focal length	20 mm - 100 mm
Horizontal angle of view	14° - 2,8°
MOD (Minimum object distance)	1,0 m
Aperture range (F)	F1.6~F270
Iris control	DC
Screw-in depth	4.0mm

F20Z05NDDC


(Continuation Specifications)

Filter screw size	not available
Cable length	approx. 20cm
4-pin plug	Standard
Temperature range (operation)	-20°C ~+60°C
Length	110 mm
Diameter	49 mm
Radius	37,8 mm
Dimensions (LxDxH)	See drawing
Weight	156g

F20Z05NDDC

Home | Security | Lenses | Varifocal

Technical drawing



Maße/Dimensions: mm

SLD Security & Communications
The Old Forge, Ockham Lane, Ockham, Surrey GU236PH England
Phone +44.1483225633 · Fax +44.1483225634
sales@sld.co.uk · www.sld.co.uk

