

AVU-8/2AL-2

Home | Security | Processing | Distributors/Amplifiers

AVU-8/2AL-2
Video Switcher 8 In/2 Outputs, Alarm Inputs,
230VAC, Desktop Housing

Art-Nr. 76406



Main Features

8 Video and Alarm Inputs
Spot and Sequence Output
Vertical Interval Switching
Multilingual On-screen Menu Programming
Selectable Dwell Times
Frame-by-Frame Switching

VCR Head Switch Pulse Input
Alarm and Remote Control Input
Alarm/Switcher Output
Camera/Sequence and Alarm No. Display
Built-in Buzzer
Colour: Pantone Cool Gray 1C

Specifications

Video inputs	8x 1 ~1.5Vp-p, (C)VBS, 75ohms, BNC
Video outputs	2x 1Vp-p, (C)VBS, 75ohms, BNC (programmable as spot or sequence output)
Video signal bandwidth	10MHz +/-3db
Alarm/remote control inputs	8x (for NO/NC contacts), Sequence start/stop, manual input scan selection
Alarm dwell time	Adjustable from 1 ~90sec. per channel
Alarm outputs	1x open collector
Maximum installation size	Camera no., sequence ON, alarm no. and on-screen menu display
Bypass function	Manual programmable
Menu languages	English, German, Italian
Line-lock synchronisation	Adjustable from -2.2ms ~+2.2ms (-/+127 steps). Line-lock synchronized cameras required
Option	19" rack mount kits

AVU-8/2AL-2

(Continuation Specifications)

Signal-to-noise ratio	60db
Temperature range	0 ~+50°C
Dwell time	Adjustable from 1 ~90sec. per channel
Frame-by-frame switching	Adjustable from 1 ~99 Frames. Line-lock synchronized cameras required
Storage	TTL signal, negative trigger pulse input
Cross talk	56db (at 4.5MHz)
Supply voltage	230VAC/50Hz
Power consumption	8W
Housing	Steel metal, Pantone Cool Gray 1C
Dimensions (HxWxD)	see drawing
Weight	2.5kg



Optional accessories

76407	VDA/AVU-RMK1	19" Rack Mount Kit for 1xVDA-8CA and AVU-8/2AL-2
76408	VDA/AVU-RMK2	19" Rack Mount Kit for 2xVDA-8CA and AVU-8/2AL-2

AVU-8/2AL-2

Home | Security | Processing | Distributors/Amplifiers

Technical drawing



Maße/Dimensions: mm

SLD Security & Communications
The Old Forge, Ockham Lane, Ockham, Surrey GU236PH England
Phone +44.1483225633 · Fax +44.1483225634
sales@sld.co.uk · www.sld.co.uk

